CLAIM AMENDMENTS

- 1. (Original) Apparatus for removing a friction grip fitting from a pipe comprising a first engagement means for directly or indirectly engaging the friction grip fitting, a second engagement means for engaging the end of the pipe at a position spaced-apart from the friction grip fitting and means for applying a force to move the first and second engagement means with respect to one another to slide the friction grip fitting with respect to the pipe.
- 2. (Original) Apparatus as claimed in claim 1 comprising a body having first and second spaced ends and means connecting said ends.
- 3. (Original) Apparatus as claimed in claim 2, wherein the body is generally C-shaped to provide said ends and connecting means.
- 4. (Original) Apparatus as claimed in claim 2, wherein the body comprises one half of a cylinder with said ends mounted to the top and bottom of said half cylinder.
- 5. (Currently Amended) Apparatus as claimed in claim 2, 3 or 4, wherein one of said ends provides the first engagement means.
- 6. (Currently Amended) Apparatus as claimed in <u>claim 1</u> any one of claims 1 to 5, wherein the first engagement means comprises a bifurcated end or a pair of forks or prongs adapted to engage with the fitting.
- 7. (Original) Apparatus as claimed in claim 6, wherein the first engagement means may further comprise a collet member specifically adapted to engage a certain type of pipe fitting.

National Stage of PCT/GB2005/000466 PRELIMINARY AMENDMENT Page 3

- 8. (Currently Amended) Apparatus as claimed in <u>claim 1</u> any one of claims 1 to 7, wherein the second engagement means comprises a mandrel.
- 9. (Original) Apparatus as claimed in claim 8, wherein the mandrel has neck and shoulder portions adapted to slide into the end of a pipe and to bear against the end of the pipe respectively.
- 10. (Currently Amended) Apparatus as claimed in claim 8 or 9, wherein the mandrel has a plurality of shoulders and necks to accommodate various sized pipes.
- 11. (Currently Amended) Apparatus as claimed in claim 9 or 10, wherein a groove is provided at the interface between shoulder and neck portions.
- 12. (Currently Amended) Apparatus as claimed in <u>claim 1</u> any one of claims 1 to 11, wherein the means for applying a force to move the first and second engagement means with respect to one another to slide the fitting with respect to the pipe comprises mechanical means capable of providing a substantially linear force between the first and second engagement means.
- 13. (Original) Apparatus as claimed in claim 12, wherein said force applying means comprises a piston.
- 14. (Original) Apparatus as claimed in claim 12, wherein said force applying means comprises a stud acting between the first and second engagement means.
- 15. (Original) Apparatus as claimed in claim 14, wherein the stud is arranged to engage with a fixed part of the apparatus and one of the engagement means.

National Stage of PCT/GB2005/000466 PRELIMINARY AMENDMENT Page 4

- 16. (Original) Apparatus as claimed in claim 15, wherein the fixed part of the apparatus is said second end of the body.
- 17. (Original) Apparatus as claimed in claim 14, wherein a stud is provided that passes through a threaded aperture in the body of the apparatus and has a mandrel attached to an end thereof.
- 18. (Original) Apparatus as claimed in claim 17, wherein the stud has a crossbar for applying torque thereto to wind the stud either towards or away from an opposing engagement means.
- 19. (Currently Amended) Apparatus as claimed in <u>claim 8</u> any one of claims 8 to 18, wherein the mandrel is removable and/or interchangeable with mandrels of differing sizes and/or geometries to suit the application.
- 20. (Original) Apparatus as claimed in claim 19, wherein the mandrel has a push or snap fit connector.
- 21. (Original) Apparatus as claimed in claim 19, wherein the mandrel is provided with a grub-screw adapted to engage with a groove or other formation in the stud.
- 22. (Currently Amended) Apparatus as claimed in <u>claim 1</u> any one of claims 1 to 21 having height adjustable means for supporting a pipe.
- 23. (Original) Apparatus as claimed in claim 22, wherein the support means is a saddle or the like on the or a stud.
 - 24. (Cancelled).